



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/711,918	10/13/2004	Jeffrey A. Tarvin	101.0166	5917
50258 7590 03/06/2008 SCHLUMBERGER TECHNOLOGY CORPORATION 14910 AIRLINE ROAD ROSHARON, TX 77583				
EXAMINER				
DITRANI, ANGELA M				
ART UNIT		PAPER NUMBER		
3676				
MAIL DATE		DELIVERY MODE		
03/06/2008		PAPER		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

### Office Action Summary

**Application No.**

10/711,918

**Applicant(s)**

TARVIN ET AL.

**Examiner**

Angela M. DiTrani

**Art Unit**

3676

**Period for Reply** -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 03 December 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-11, 14-31, 34-41 and 43-48 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-11, 14-31, 34-41 and 43-48 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB08)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

## DETAILED ACTION

### *Claim Rejections - 35 USC § 102*

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
2. Claims 1-9, 11-14, 16-39, and 42-48 are rejected under 35 U.S.C. 102(b) as being anticipated by C.K. Woodrow (SPE/IADC 67729 – cited by applicant on IDS filed 01/24/05).

With respect to claim 1, Woodrow discloses a method for analyzing distributed temperature data from a well, comprising: using a distributed temperature sensor system to obtain temperature profile data along a portion of a wellbore; providing the temperature profile data to a processor; automatically determining whether fluids are flowing into or out of a tubing located in the well by processing the temperature profile data; and highlighting valuable information to a user related to the flow of fluid relative to the tubing (see entire document, especially sections **Principle of Operation**, and **How it was deployed in Term Alpha Well A-27**).

With respect to depending claims 2-9, the reference teaches automatically processing comprising, removing noise from the temperature profile, removing low order spatial trends, utilizing a high-pass filter, utilizing a low pass filter, and applying a model-fitting algorithm, wherein applying a model-fitting algorithm comprises selecting regions for fitting and fitting a model to data, further comprising testing results for statistical significance, and constructing a match filter using extrema of a convolution of the filter

with data to select candidate depths (see entire document, especially sections **Principle of Operation**, **How it was deployed in Term Alpha Well A-27**, and **Future plans**).

With respect to depending claim 11, the reference teaches trend removal and filtering of the temperature profile data (see sections **Observed thermal profile during well kick-off**, **Observed thermal profile as a water injector**, and **Observed non-linearity of the static thermal profile**).

With respect to depending claims 12 and 13, the reference teaches obtaining temperature data using a distributed temperature sensor and deploying an optical fiber in the wellbore (see **Principle of Operation**).

With respect to depending claim 14, the reference teaches a temporary distributed temperature installation (see p. 2, lines 5-14, wherein the North Sea sub-surface safety valve installation is disclosed to preclude permanent deployment of the fibre).

With respect to depending claim 16, the reference teaches utilizing a match filter (see **Observed thermal profile during well kick-off**).

With respect to depending claims 17-20, the reference teaches the match filter detecting particular temperature signals corresponding to a particular downhole event, including location of a gas lift valve, the hole in a tubing, and a leak in a wellbore completion tool (see **How it was deployed in Term Alpha Well A-27**).

With respect to depending claim 21, the reference teaches automatically processing occurring in real-time (see **Principle of Operation**).

With respect to independent claim 22, Woodrow discloses a system to analyze distributed temperature data from a well, comprising: a distributed temperature sensor adapted to measure temperature profile data along a portion of a wellbore; a processor adapted to receive temperature profile data, the processor being programmed to identify a particular temperature signal that corresponds to a specific downhole event having an inflow of relatively cooler fluid; and wherein the processor outputs valuable information related to the specific downhole event to a user (see entire document).

With respect to depending claims 23-29, the reference teaches the distributed temperature system comprises an optical fiber, an opto-electronic unit to launch optical pulses downhole, wherein the unit is coupled to the processor by a communication link, wherein the communication link is a hardline link, or a wireless link, and wherein the processor is embodied in a portable computer, and a production tubing deployed in the wellbore with the optical fiber, wherein the tubing is combined with a gas lift system (see **Abstract, Principles of Operation, How it was deployed in Term Alpha Well A-27**).

With respect to claim 31, Woodrow discloses a method of detecting certain events within a well, comprising: using a distributed temperature sensor system to obtain data related to temperature over a period of time along a portion of a wellbore; automatically processing the data to detect specific events related to heat energy in the well; and displaying results to a user (see entire document).

With respect to depending claims 34-39, the reference teaches automatically processing the data on a processor-based computer, processing backscattered light signals, applying a model-fitting algorithm to the data, selecting regions for fitting and

fitting a model to data, testing for statistical significance, and constructing a match filter using extrema of convolution of the filter with data to select candidate depths (see entire document).

With respect to depending claims 42-45, the reference teaches detecting particular temperature signals corresponding to a particular downhole event, location of a gas lift valve, a wellbore completion tool leak, and a hole in a production tubing (see **How it was deployed in Tern Alpha Well A-27**).

With respect to depending claim 46, the reference teaches displaying results in graphical form (see **Observed thermal profile during well kick-off, Observed thermal profile as a water injector, and Observed non-linearity of the static thermal profile**).

With respect to depending claim 47, the reference teaches utilizing a match filter (see entire document).

With respect to depending claim 48, the reference teaches automatically processing in real-time (see **Principles of Operation**).

***Claim Rejections - 35 USC § 103***

3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
4. Claims 10 and 40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Woodrow (SPE/IADC 67729) in view of Riza (US 6,360,037).

With respect to claim 10, Woodrow discloses the method for analyzing distributed

temperature data from a well as indicated with respect to claim 1 above. The reference further discloses future plans of additional thermal modeling study work (see **Future plans**) wherein a thermal model that can accurately match the observed temperature profile may be established (see **Observed thermal profile during well kick-off**). However, the reference fails to explicitly teach constructing a match filter comprising incorporating modifications to the filter to make it orthogonal to background trends, as claimed. Riza teaches a polarization-based fiber-optic switch wherein an active noise filter is formed by an active polarization rotation element and a polarizer at the output of the system; the technique of such a filter is based on the fact that the polarization of the leakage noise coming from the undesired input-port which has leaked through passive noise filter is always orthogonal compared to the polarization signal; for the purpose of suppressing the noise (see col. 7, lines 24-42). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to construct a match filter in which modifications are made to the filter to make it orthogonal to background trends within the fiber-optic system of Woodrow in order to suppress noise within the data and thereby establish a more accurate model to match the observed temperature profile.

With respect to claim 40, Woodrow discloses the method of detecting certain events within a well as indicated with respect to claim 31 above. The reference further discloses future plans of additional thermal modeling study work (see **Future plans**) wherein a thermal model that can accurately match the observed temperature profile may be established (see **Observed thermal profile during well kick-off**). However,

the reference fails to explicitly teach constructing a match filter comprising incorporating modifications to the filter to make it orthogonal to background trends, as claimed. Riza teaches a polarization-based fiber-optic switch wherein an active noise filter is formed by an active polarization rotation element and a polarizer at the output of the system; the technique of such a filter is based on the fact that the polarization of the leakage noise coming from the undesired input-port which has leaked through passive noise filter is always orthogonal compared to the polarization signal; for the purpose of suppressing the noise (see col. 7, lines 24-42). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to construct a match filter in which modifications are made to the filter to make it orthogonal to background trends within the fiber-optic system of Woodrow in order to suppress noise within the data and thereby establish a more accurate model to match the observed temperature profile.

5. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Woodrow.

With respect to claim 15, Woodrow discloses the method as stated above wherein the deployment method for the optical fibre distributed temperature system can be within the control line, externally on the outside of tubing, or run in and out of the well using typical wireline techniques (see **Principle of Operation**). The aforementioned section fails to explicitly disclose the wireline technique wherein the temperature profile data is obtained with a slickline distributed temperature sensing system. Woodrow, however, teaches prior art temperature measuring techniques wherein temperature is measured using production logging tools, run on slickline or electric line, and/or coiled



tubing, for the purpose of continuously monitoring the wellhead temperature (see **Background**). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to deploy the optical fibre distributed temperature system using a "typical" wireline technique such as a slickline for the purpose of continuously obtaining temperature data.

6. Claim 41 is rejected under 35 U.S.C. 103(a) as being unpatentable over Woodrow (SPE/IADC 67729) in view of Tubel (US 6,012,015).

Woodrow discloses the method with respect to claim 31 as stated above. However, the reference fails to teach automatically processing comprising applying a phenomenological model to the data. Tubel teaches a downhole production well control system in which sensors are employed, and, wherein models, such as phenomenological models, are employed for the purpose of combining knowledge obtained from the system with a model for the purpose of obtaining optimum operating parameters for the process and improving the performance therein (see col. 6, lines 25-57). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to look to a phenomenological model to provide quantitative interpretations within the future plans of the method of Woodrow in order to improve upon the modeling process therein.

#### ***Response to Arguments***

7. Applicant's arguments filed 12/03/07 have been fully considered but they are not persuasive.

8. Applicant presents that the rejection of claims 1-9, 11-14, 16-39, and 42-48 under 35 USC 102(b) as anticipated by C.K. Woodrow were the result of conclusory assertions with respect to the teachings of the SPE/IADC 67729 article and that the article supports neither the aforementioned assertions nor the rejection as the system of the article produces raw data to a surface unit that is not automatically processed to improve the usefulness of the data to an operator as claimed. Applicant further presents that the SPE/IADC 67729 teaches against the presently claimed system and methodology by stating that the temperature data obtained from the distributed temperature system can be displayed on-site, stored or transmitted "to office based engineers" for interpretation, and, as such, the cited article fails to disclose or suggest numerous elements of the rejected claims. The Examiner disagrees. Within the cited final paragraph of the Principal of Operation section, the Examiner agrees that the temperature data is displayed on-site, stored or transmitted in real-time via modem or scada/modbus links "to office based engineers" for interpretation. Woodrow, however, further discloses that "The data can then be interpreted utilizing appropriate software applications." In displaying the data on-site, Woodrow teaches the provision of the temperature profile to a processor insofar as because the data is subsequently displayed to the user, and as such, must be "processed." Woodrow further teaches the interpretation of obtained temperature data by transmitting the data and subsequently utilizing "appropriate software applications;" therefore, by using a software application to interpret the data, Woodrow teaches the invention as presently claimed.

With respect to independent claim 1, Applicant further presents by way of example that the SPE/IADC 67729 article fails to disclose or suggest "automatically determining whether fluids are flowing into or out of a tubing located in the well by processing the temperature profile data." The Examiner disagrees. For example, within the How it was deployed in Tern Alpha Well A-27 section, Woodrow provides the use of the distributed temperature system within a well, where, in the event of the occurrence of a leak within the L80 mild steel tubing utilized in the well, wherein it was expected that the tubing would progressively deteriorate over the course of a few years, the distributed temperature system enables the identification of any leak within a metre; Woodrow further discloses in the Observed thermal profile during well kick-off section that the temperature data obtained and profiles created therefrom "clearly show the gaslift valves opening and closing" (third paragraph in the section). Thus, Woodrow discloses "automatically determining whether the fluids are flowing into or out of a tubing located in the well by processing the temperature profile data."

With respect to independent claim 22, Applicant also presents by way of example that the reference fails to disclose "a processor that receives the temperature profile data in real time" with the processor "programmed to identify a particular temperature signal that corresponds to a specific downhole event having an inflow of relatively cooler fluid." The Examiner disagrees. As previously stated, within the Principle of Operation Section, Woodrow discloses that the temperature data is displayed on-site, stored or transmitted in real-time; the data can then be interpreted utilizing appropriate software applications. Woodrow further teaches that "We had hoped to see a relatively minor 2-3

degree drop locally at any gaslift valve, typical of what would be expected from a flowing gradient survey with the temperature gauge located in the flowing fluids in the wellbore." Therefore, Woodrow teaches a processor that receives the temperature profile data in real time" with the processor "programmed to identify a particular temperature signal that corresponds to a specific downhole event having an inflow of relatively cooler fluid."

With respect to independent claim 31, Applicant presents that the reference fails to disclose automatically processing the data to detect specific events related to heat energy in the well and further "automatically processing the data to determine a flow rate of fluid in the well." The Examiner disagrees. As stated with respect to claim 22, Woodrow teaches that "We had hoped to see a relatively minor 2-3 degree drop locally at any gaslift valve, typical of what would be expected from a flowing gradient survey with the temperature gauge located in the flowing fluids in the wellbore." Woodrow further indicates that "We had also hoped to infer flowrate from the temperature gradient observed below the gaslift valve." Therefore, the rejection under 35 USC 102(b) is maintained.

Since the independent claims recite the elements as discussed above and no further arguments were presented with respect to the 102(b) rejection of depending claims 2-9, 11, 14, 16-21, 23-30, 34-39, and 43-48, the rejection is maintained.

With respect to the 103(a) rejection of claims 10 and 40, Applicant presents that SPE/IADC 67729 fails to disclose the approach of automatically processing the data and that Riza fails to disclose or suggest the missing elements. As previously provided, Woodrow discloses "automatically processing of the temperature profile to highlight

valuable information to a user," and further, provides for future plans of modeling study work. As provided within the rejection above, Riza teaches the construction of a match filter, and, therefore, the rejection stands.

With respect to the rejection of claim 15 under 103(a), the Applicant provides that the rejection is unsupported for the reasons provided with claim 1; as these issues have been previously addressed and no further grounds of argument are presented, the rejection stands.

With respect to the rejection of claim 41, Applicant presents that claim 41 depends from claim 31 and, therefore, the rejection is unsupported. Since the rejection of claim 31 has been previously addressed and Applicant provides no further arguments other than that claim 41 depends from claim 31, the rejection is maintained.

### ***Conclusion***

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 3676

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Angela M. DiTrani whose telephone number is (571)272-2182. The examiner can normally be reached on M-F, 6:30AM-4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jennifer Gay can be reached on (571)272-7029. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AD  
02/26/08

/Zakiya W. Bates/

Primary Examiner, Art Unit 3676